

## TOXO® -MX

## Mitigating the mycotoxin risk in feed and food



Mycotoxins adversely affect

profitability of the feed and food-production chains

Why TOXO® -MX?



## **Regulatory requirements**

International standards regulate mycotoxins in feed and food



TOXO-MX

Mitigates the mycotoxin risk in animal production



## Feed to food production chains at risk, globally

- Mycotoxin contamination is one of the main threats in feed production Improper storage, heat and humidity foster the growth of moulds which produce mycotoxins, including aflatoxins
- The sharp rise in international trade has intensified the mycotoxin risk globally Some mycotoxins are specific to the regions where certain moulds grow. However, the global raw material trade has given rise to mycotoxin co-contamination worldwide
- Mycotoxin levels in feed and food require careful monitoring and control Fortunately, as an industry, we have faster, more reliable detection methods that help to monitor and manage mycotoxin contamination of raw materials



## **Business challenge**

## Do not let mycotoxin contamination reduce profitability

Mycotoxin contamination **impacts animal health and performance** results in lost revenue.

Mycotoxins and their metabolites can also **enter the food chain via milk and eggs.** 

## Reducing mycotoxin contamination: Trouw Nutrition's integrated strategy

TOXO® -MX is part of the Mycotoxin Risk Management programme that helps identify, reduce and monitor the risk of mycotoxins in raw materials and complete feed.

## Reducing mycotoxin impact with TOXO°-MX


### Key benefits


Mitigates animal performance impairment caused by exposure to mycotoxins.

#### How it works

Highly purified smectite clays enable TOXO-MX to reduce mycotoxins' bioavailability in the animal's gastrointestinal tract.

#### **Proven results**





### **Recommended use**

TOXO-MX should be used in case of mycotoxin contamination in raw materials or complete feed. TOXO-MX can be incorporated into the feeding program via premixes or feed.

## **Recommended inclusion rate**

## Poultry and aqua

0.5 to 2 kg/t of complete feed

### **Ruminants**

50 to 100 grams per head, per day

 $^*\mbox{Inclusion}$  rate: do not exceed 20kg/t of complete feed.

# Learn more visit trouwnutrition.in

## **Summary**

**Product name:** TOXO°-MX

Benefit: Reduces bioavailability of mycotoxins in feed

**Use for:** Poultry, ruminants and aqua **Programme:** Mycotoxin Risk Management



### Ask your TrouwNutrition representative how TOXO-MX can reduce the impact of mycotoxins.

Contact us: T: +91 40 2988 0258 | E: customercareindia@trouwnutrition.com Follow us: notrouw-nutrition-india | TrouwNutritionIndia | TrouwNutritionIndia

**Disclaimer:** The information in this document is believed to be correct as of the date issued. Given the variety of factors that can affect the use of a Selko product, the user is responsible for determining whether the Selko product and dosage is fit for a particular purpose and suitable for user's method of use. Selko B.V. or any of its affiliates makes no warranties, including but not limited to warranty of merchantability or fitness for a particular purpose. Product labelling and associated claims may differ based on government requirements. All quotations, orders, confirmations and transactions are subject to our General Conditions of Sale (www.nutreco.com). The applicability of any other terms and conditions is explicitly rejected.

Trouw Nutrition. The trademarks shown in this document are registered in The Netherlands, The USA and other countries. These trademarks are owned by Selko B.V. or Micronutrients USA LLC or Trouw International B.V. IntelliBond products are registered as Selko IntelliBond in The Netherlands, and other countries.